

雑誌掲載論文:

- 1) V. Bessiron, T. Sugiyama and T. Fuketa, “Clad-to-Coolant Heat Transfer in NSRR Experiments,” *J. Nucl. Sci. Technol.*, **44**[5], 723 (2007).
- 2) K. Tomiyasu, T. Sugiyama and T. Fuketa, “Influence of Cladding-Peripheral Hydride on Mechanical Fuel Failure under Reactivity-Initiated Accident Conditions,” *J. Nucl. Sci. Technol.*, **44**[5], 733 (2007).
- 3) Y. Udagawa, M. Suzuki and T. Fuketa, “Analysis of MOX Fuel Behavior in Halden Reactor by FEMAXI-6 Code,” *J. Nucl. Sci. Technol.*, **44**[8], 1070 (2007).
- 4) T. Kudo, M. Kida, T. Nakamura, et al., “Release of Cesium and Poorly Volatile Elements from UO₂ and MOX Fuels under Severe Accident Condition,” *J. Nucl. Sci. Technol.*, **44**[11], 1421 (2007).
- 5) T. Kudo, M. Kida, T. Nakamura, et al., “Effects of Fuel Oxidation and Dissolution on Volatile Fission Product Release under Severe Accident Conditions,” *J. Nucl. Sci. Technol.*, **44**[11], 1428 (2007).
- 6) M. Amaya, J. Nakamura and T. Fuketa, “Measurements on Crystal Lattice Strain and Crystallite Size in Irradiated UO₂ pellet by X-ray Diffractometry,” *J. Nucl. Sci. Technol.*, **45**[3], 244 (2008).
- 7) M. Amaya, T. Sugiyama, F. Nagase, et al., “Fission Gas Release in BWR Fuel with a Burnup of 56 GWd/t during Simulated Reactivity Initiated Accident (RIA) Condition,” *J. Nucl. Sci. Technol.*, **45**[5], 423 (2008).
- 8) M. Suzuki, T. Sugiyama and T. Fuketa, “Thermal Stress Analysis of High Burnup LWR Fuel Pellet Pulse-Irradiated in Reactivity-Initiated Accident Conditions,” *J. Nucl. Sci. Technol.*, **45**[11], 1155 (2008).
- 9) T. Sugiyama, M. Umeda, T. Fuketa, et al., “Failure of High Burnup Fuels under Reactivity-initiated Accident Conditions,” *Annals of Nuclear Energy* **36**, 380 (2009).
- 10) T. Chuto, F. Nagase and T. Fuketa, “High Temperature Oxidation of Nb-containing Zr Alloy Cladding in LOCA Conditions,” *Nuclear Engineering and Technology*, **41**[2], 163 (2009).
- 11) F. Nagase, T. Sugiyama and T. Fuketa, “Optimized Ring Tensile Test Method and Hydrogen Effect on Mechanical Properties of Zircaloy Cladding in Hoop Direction,” *J. Nucl. Sci. Technol.*, **46**[6], 545 (2009).
- 12) M. Amaya, J. Nakamura and T. Fuketa, “The Effects of Irradiation Condition and Microstructural Change on Lattice Parameter, Crystal Lattice Strain and Crystallite Size in High Burnup UO₂ Pellet,” *J. Nucl. Mater.*, **392**, 439 (2009).
- 13) F. Nagase, T. Chuto and T. Fuketa, “Behavior of High Burn-up Fuel Cladding under LOCA Conditions,” *J. Nucl. Sci. Technol.*, **46**[7], 763 (2009).
- 14) J. Nakamura, M. Amaya, F. Nagase and T. Fuketa, “Thermal Conductivity Change in High Burnup MOX Fuel Pellet,” *J. Nucl. Sci. Technol.*, **46**[9], 944 (2009).

- 15) Y. Udagawa, M. Suzuki, T. Sugiyama and T. Fuketa, "Stress Intensity Factor at the Tip of Cladding Incipient Crack in RIA-Simulating Experiments for High Burnup PWR Fuels," *J. Nucl. Sci. Technol.*, **46**[10], 1012 (2009).
- 16) C. Vitanza and T. Fuketa, "Fuel Safety Limits: Experimental Results and Pending Questions," *EUROSAFE Tribune*, **16**, 13 (2009).
- 17) M. Amaya, J. Nakamura, T. Fuketa and Y. Kosaka, "Relationship between Changes in the Crystal Lattice Strain and Thermal Conductivity of High Burnup UO₂ Pellets," *J. Nucl. Mater.*, **396**, 32 (2010).
- 18) H. Sasajima, T. Sugiyama, T. Chuto, et al., "Identification of Radial Position of Fission Gas Release in High-Burnup Fuel Pellets under RIA Conditions," *J. Nucl. Sci. Technol.*, **47**[2], 202 (2010).
- 19) T. Sugiyama, Y. Udagawa and T. Fuketa, "Evaluation of Initial Temperature Effect on Transient Fuel Behavior under Simulated Reactivity-initiated Accident Conditions," *J. Nucl. Sci. Technol.*, **47**[5], 439 (2010).
- 20) Y. Udagawa, M. Yamaguchi, H. Abe, et al., "Ab Initio Study on Plane Defects in Zirconium-Hydrogen Solid Solution and Zirconium Hydride," *Acta Materialia*, **58**, 3927 (2010).
- 21) M. Amaya, V. Grismanovs and T. Tverberg, "Changes of the Surface-to-Volume Ratio and Diffusion Coefficient of Fission Gas in Fuel Pellets during Irradiation", *J. Nucl. Mater.*, **402**, 108 (2010).
- 22) M. Amaya, J. Nakamura, F. Nagase and T. Fuketa, "Thermal Conductivity Evaluation of High Burnup Mixed-oxide (MOX) Fuel Pellet", *J. Nucl. Mater.*, **414**, 303 (2011).
- 23) F. Nagase, "Hydride Behavior in Zircaloy Cladding Tube during High-temperature Transient", *J. Nucl. Mater.*, **415**, 117 (2011).
- 24) F. Nagase, "Behavior of LWR fuel during Loss-of-Coolant Accident", *Comprehensive Nuclear Materials*, **2**, 595 (2012).
- 25) Y. Udagawa, M. Yamaguchi, T. Tsuru, et al., "Effect of Sn and Nb on Generalized Stacking Fault Energy Surfaces in Zirconium and Gamma Hydride Habit Planes", *Philosophical Magazine*, **91**[12], 1665 (2011).
- 26) F. Nagase, T. Chuto and T. Fuketa, "Ring-compression Ductility of High Burn-up Fuel Cladding after Exposure to Simulated LOCA Conditions, *J. Nucl. Sci. Technol.*, **48**[11], 1369 (2011).
- 27) F. Nagase and H. Uetsuka, "Thermal Properties of THI-2 Core Debris and Simulated Debris", *J. Nucl. Sci. Technol.*, **49**[1], 96 (2012).
- 28) S. Hanawa, H. Ogiyanagi and M. Suzuki, "Verification of FEMAXI-7 Code by Using Irradiation Test in Halden Reactor for He-pressurization Effect on FGR of BWR Fuels under Power Transient", *J. Nucl. Sci. Technol.*, **49**(5), 516 (2012)
- 29) H. Ogiyanagi, S. Hanawa, M. Suzuki and F. Nagase, "FEMAXI-7 Analysis on Behavior of Medium and High Burnup BWR during Base-irradiation and Power Ramp", *Nucl. Eng. Des.*, **253**, 77 (2012).
- 30) T. Akie, I. Sato, M. Suzuki et al, "Simple Formula to Evaluate Helium Production Amount in Fast Reactor MA-containing MOX Fuel and Its Accuracy", *J. Nucl. Sci. Technol.*, **50**(1), 107 (2013)
- 31) T. Tsuru, Y. Udagawa, M. Yamaguchi, et al, "Solution Softening in Magnesium Alloys:

- The Effect of Solid Solutions on the Dislocation Core Structure and Nonbasal Slip”, *Journal of Physics: Condensed Matter*, **25**[2], 022202, (2013).
- 32) M. Suzuki, “JAEA summary report for FUMEX-III”, *IAEA TECDOC-1697*, (2013)
 - 33) 永瀬, “シビアアクシデント時の溶融した燃料の形態と特性 –TMI-2 炉心から採取したデブリに対する試験の結果から” 日本原子力学会誌「アトモス」 **54**(11), 727 (2012)
 - 34) Y. Udagawa, T. Sugiyama, M. Suzuki and F. Nagase, “Stress Biaxiality in High-Burnup PWR Fuel Cladding under Reactivity-Initiated Accident Conditions”, *J. Nucl. Sci. Technol.*, **50**[6], 645 (2013).
 - 35) M. Amaya and F. Nagase, "The Relationship Between the Amount of Oxidation and Activation Energy on the Steam Oxidation Reaction of Zircaloy-4 Cladding", *J. Nucl. Mater.*, **440**, 457 (2013).
 - 36) M. Yamato, F. Nagase and M. Amaya, “Reduction in the Onset Time of Breakaway Oxidation on Zircaloy Cladding Ruptured under Simulated LOCA Conditions”, *J. Nucl. Mater.*, **445**, 78 (2014).
 - 37) Y. Udagawa, T. Mihara, T. Sugiyama, et al., “Simulation of the Fracture Behavior of Zircaloy-4 Cladding under Reactivity-Initiated Accident Conditions with a Damage Mechanics Model Combined with Fuel Performance Codes FEMAXI-7 and RANNS”, *J. Nucl. Sci. Technol.*, **51**[2], 208 (2013).
 - 38) M. Yamato, F. Nagase and M. Amaya, “Evaluation of Fracture Resistance of Ruptured, Oxidized, and Quenched Zircaloy Cladding by Four-Point-Bend Tests”, *J. Nucl. Sci. Technol.*, **51**[9], 1125 (2014).
 - 39) T. Usui, A. Sawada, M. Amaya, et al, “SiC Coating as Hydrogen Permeation Reduction and Oxidation Resistance for Nuclear Fuel Cladding”, *J. Nucl. Sci. Technol.*, **52**[10], 1318 (2015).
 - 40) T. Narukawa and M. Amaya, “The Effect of Oxidation and Crystal Phase Condition on the Ballooning and Rupture Behavior of Zircaroy-4 Cladding Tube under Transient-heating Conditions”, *J. Nucl. Sci. Technol.*, **53**[1], 112 (2015).
 - 41) T. Shinozaki, Y. Udagawa, T. Mihara et al, “Improved-EDC Tests on the Zircaloy-4 Cladding Tube with an Outer Surface Pre-crack”, *J. Nucl. Sci. Technol.*, **53**[9], 1426 (2015).
 - 42) H. Wu, Y. Udagawa, T. Narukawa, M. Amaya, “Validation of Updated RANNS with Effect of Oxygen-dissolved Metallic Zircaloy-4 under LOCA Quench Condition”, *Nucl. Eng. Des.*, **300**, 249, (2016).
 - 43) T. Narukawa, M. Amaya, “The effect of Azimuthal Temperature Distribution on the Ballooning and Rupture Behavior of Zircaloy-4 Cladding Tube under Transient- heating Conditions”, *J. Nucl. Sci. Technol.*, **53**[11], 1758 (2016).
 - 44) H. Wu, Y. Udagawa, T. Narukawa, M. Amaya, “Crack Formation in Cladding under LOCA Quench Conditions”, *Nucl. Eng. Des.*, **303**, 25 (2016).
 - 45) H. Miwa, M. Amaya, “The Effect of Oxidation-and-Quenching During a LOCA on the Behavior of the Oxidation and Embrittlement of Zircaloy-4 Cladding under Reheating transients” **53**[12], 2090 (2016).
 - 46) M. Negyesi, M. Amaya, “Oxidation Kinetics of Zry-4 Fuel Cladding in Mixed Steam–Air Atmospheres at Temperatures of 1273–1473 K”, *J. Nucl. Sci. Technol.*, **54**[10], 1143 (2017).

- 47) D. Komiyama, M. Amaya, “The Fracture Behaviors of Non-irradiated Zircaloy-4 Fuel Cladding with a Pinhole under Simulated LOCA Conditions”, *J. Nucl. Sci. Technol.*, **54**[12], 1338 (2017).
- 48) T. Narukawa, A. Yamaguchi, S. Jang, M. Amaya, “Experimental and Statistical Study on Fracture Boundary of Non-irradiated Zircaloy-4 Cladding Tube under LOCA Conditions”, *J. Nucl. Mater.*, **499**, 528 (2018).
- 49) T. Mihara, Y. Udagawa, M. Amaya, “Deformation Behavior of Recrystallized and Stress-Relieved Zircaloy-4 Fuel Cladding under Biaxial Stress Conditions”, *J. Nucl. Sci. Technol.*, **55**[2], 151 (2018).
- 50) M. Negyesi, M. Amaya, “The Influence of the Air Fraction in Steam on the Growth of Oxide and α -Zr(O) Layers and the Hydrogen Uptake of Zry-4 Fuel Cladding at 1273K and 1473K”, *Ann. Nucl. Energy*, **144**, 52 (2018).
- 51) T. Narukawa, A. Yamaguchi, S. Jang, M. Amaya, “Uncertainty Quantification of Fracture Boundary of Pre-hydrated Zircaloy-4 Cladding Tube under LOCA Conditions”, *Nucl. Eng.Des.*, **331**, 147, (2018).
- 52) T. Fuketa, F. Nagase, “Behavior of Fuel with Zirconium Alloy Cladding in Reactivity-Initiated Accident and Loss-of-Coolant Accident”, *J. ASTM STP*, **1597**, 52, DOI 10.1520/STP159720160090 (2018).
- 53) T. Yumura, M. Amaya, “Effects of Ballooning and Rupture on the Fracture Resistance of Zircaloy-4 Fuel Cladding Tube after LOCA-simulated Experiments”, *Ann. Nucl. Energy*, **120**, 798, (2018).
- 54) F. Li, T. Mihara, Y. Udagawa, M. Amaya, “The Effect of Hydride Morphology on the Failure Strain of Stress-Relieved Zircaloy-4 Cladding with an Outer Surface Pre-crack under Biaxial Stress States”, *J. Nucl. Sci. Technol.*, **56**[5], 432 (2019).
- 55) Y. Udagawa, M. Amaya, “Model Updates and Performance Evaluations on Fuel Performance Code FEMAXI-8 for Light Water Reactor Fuel Analysis”, *J. Nucl. Sci. Technol.*, **56**[6], 461 (2019).
- 56) T. Narukawa, M. Amaya, “Oxidation behavior of high-burnup advanced fuel cladding tubes in high-temperature steam”, *J. Nucl. Sci. Technol.*, **56**[7], 650 (2019).
- 57) T. Mihara, Y. Udagawa, M. Amaya, “Fracture Behavior of Recrystallized and Stress-Relieved Zircaloy-4 Cladding under Biaxial Stress Conditions”, *J. Nucl. Sci. Technol.*, **56**[8], 724 (2019).
- 58) Y. Udagawa, T. Sugiyama, M. Amaya, “Thresholds for Failure of High-Burnup LWR Fuels by Pellet Cladding Mechanical Interaction under Reactivity-Initiated Accident Conditions”, *J. Nucl. Sci. Technol.*, **56**[12], 1063 (2019).
- 59) M. Negyesi, M. Amaya, “The Effect of air Fraction in Steam on the Embrittlement of Zry-4 Fuel Cladding Oxidized at 1273-1573 K”, *Oxidation of Metas*, **92**[5-6], 439 (2019).
- 60) M. Negyesi, M. Amaya, “The Effect of nitride formation on the oxidation kinetics of Zry-4 fuel cladding under steam-air atmospheres at 1273-1573 K”, *J. Nucl. Mater.*, **524**, 263, (2019).
- 61) Y. Udagawa, T. Fuketa, “Transient Response of LWR Fuels (RIA)”, Reference Module in Materials Science and Materials Engineering, Elsevier, Online-published (2019).
- 62) T. Narukawa, M. Amaya, “Fracture Limit of High-Burnup Advanced Fuel Cladding Tubes under Loss-Of-Coolant Accident Conditions”, *J. Nucl. Sci. Technol.*,

57[1], 68 (2020).

- 63) Y. Okada, M. Amaya, “Effects of oxidation and secondary hydriding during simulated Loss-Of-Coolant-Accident tests on the bending strength of Zircaloy-4 fuel cladding tube”, *Ann. Nucl. Energy*, **136**, 107028_1, (2020).
- 64) Y. Udagawa, T. Mihara, Y. Taniguchi, K. Kakiuchi, M. Amaya, “The Effect of Base Irradiation on Failure Behaviors of UO₂ and Chromia-Alumina Additive Fuels under Simulated Reactivity-Initiated Accidents; A Comparative Analysis with FEMAXI-8”, *Ann. Nucl. Energy*, **139**, 107268_1, (2020).
- 65) Y. Taniguchi, Y. Udagawa, M. Amaya, “Analytical Study of SPERT-CDC Test 859 Using Fuel Performance Codes FEMAXI-8 and RANNS”, *Ann. Nucl. Energy*, **139**, 107188_1, (2020).
- 66) F. Li, T. Mihara, Y. Udagawa, M. Amaya, “Fracture-mechanics-based evaluation of failure limit on pre-cracked and hydrided Zircaloy-4 cladding tube under biaxial stress states”, *J. Nucl. Sci. Technol.*, **57**[6], 633 (2020).
- 67) 垣内, 天谷, “燃料被覆管用改良合金の照射成長挙動”, 日本原子力学会和文論文誌, Vol. 19, No.1, pp. 24-33 (2020).

技術報告書:

- 1) N. Tregoures and T. Sugiyama, “FGD Program: Status of Fission Gas Dynamics Programme”, フランス放射線防護・原子力安全研究所 (IRSN) レポート, DPAM-SEMCA-2008-330, (2008).
- 2) V. Georgenthum and T. Sugiyama, “FGD Program: SCANAIR Preparatory Calculations”, フランス放射線防護・原子力安全研究所 (IRSN) レポート, DPAM-SEMCA-2010-288, (2010).
- 3) 鈴木, 齋藤, 宇田川, 永瀬, “軽水炉燃料解析コード FEMAXI-7 および関連コードの入出力マニュアル”, JAEA-Data/Code 2012-012 (2012).
- 4) M. Suzuki, H. Saito, Y. Udagawa and F. Nagase, “Light Water Reactor Fuel Analysis Code FEMAXI-7; Model and Structure”, JAEA-Data/Code 2013-005 (2013).
- 5) M. Suzuki, H. Saito, Y. Udagawa and F. Nagase, “Input/Output Manual of Light Water Reactor Fuel Analysis Code FEMAXI-7 and Its Related Codes”, JAEA-Data/Code 2013-009, (2013).
- 6) 鈴木, 齋藤, 宇田川, 天谷, “[改訂版] 軽水炉燃料解析コード FEMAXI-7 のモデルと構造”, JAEA-Data/Code 2013-014, (2013).
- 7) Y. Udagawa, T. Sugiyama and M. Amaya, “Heat Transfer from Fuel Rod Surface under Reactivity-Initiated Accident Conditions – NSRR Experiments Under Varied Cooling Conditions –”, JAEA-Data/Code 2013-021 (2013).
- 8) 篠崎, 三原, 宇田川, 杉山, 天谷, “EDC 試験手法による反応度事故時の燃料被覆管破損に及ぼす水素化物偏在及び2軸応力状態の影響の評価”, JAEA-Research 2014-025 (2014)
- 9) 宇田川, 鈴木, 天谷, “軽水炉燃料の事故時挙動解析コード RANNS の反応度事故解析モデルの開発”, JAEA-Data/Code 2014-025 (2015).

- 10) 小宮山, 天谷, “Zircaloy-4 の高温酸化挙動に及ぼす固体ホウ酸の影響”, JAEA-Research, JAEA-Research 2016-013 (2016).
- 11) 宇田川, 山内, 北野, 天谷, “燃料挙動解析コード FEMAXI-8 の開発 —軽水炉燃料挙動モデルの改良と総合性能の検証—”, JAEA-Data-Code 2018-016 (2019).

国際会議報告:

- 1) Y. Udagawa, M. Suzuki, T. Sugiyama, et al., “Development of Two Dimensional Mechanical Model to Analyze Pellet/Cladding Interaction during a Reactivity-Initiated Accident,” Proc. 2007 Enlarged Halden Programme Group Meeting, Storefjell, Norway, March, 2007.
- 2) T. Suzuki and M. Umeda, “Development of High Temperature Capsule for RIA-simulating Experiment with High Burnup Fuel,” Proc. Research Reactor Fuel Management (RRFM)/ International Group Operating Research Reactors (IGORR), Lyon, France, March 11-15, 2007.
- 3) Y. Muramatsu and Y. Udagawa, “Instrumentation Techniques in NSRR Experiments,” Proc. IAEA Technical Meeting on Fuel Rod instrumentation and In-Pile Measurement Techniques, Halden, Norway, 3-5 September, 2007.
- 4) T. Fuketa, T. Sugiyama, F. Nagase, et al., “JAEA Studies on High Burnup Fuel Behaviors during Reactivity-Initiated Accident and Loss-of-Coolant Accident,” Proc. 2007 International LWR Fuel Performance Meeting, San Francisco, California, September 30 – October 3, 2007.
- 5) T. Kudo, “VEGA Program on Radionuclide Release from Fuel”, International VERCORS Seminar, Greoux les Bains, France, October, 2007.
- 6) M. Petit, V. Georgenthum, T. Sugiyama, et al., “A Comparative Analysis of CABRI CIP0-1 and NSRR VA-2 Reactivity Initiated Accident tests,” Eurosafe 2007, Berlin, Germany, November 5-6, 2007.
- 7) T. Sugiyama, M. Umeda, T. Fuketa, et al., “Failure of High Burnup Fuels under Reactivity-initiated Accident Conditions,” Proc. International Conference on the Physics of Reactors (PHYSOR 2008), Interlaken, Switzerland, September 14-19, 2008.
- 8) F. Nagase, T. Chuto and T. Fuketa, “Behavior of 66 to 77 MWd/kg Fuel Cladding under LOCA Conditions,” Proc. PHYSOR 2008, Interlaken, Switzerland, September 14-19, 2008.
- 9) G. Khvostov, M. Zimmermann, T. Sugiyama and T. Fuketa, “On the Use of the FALCON Code for Modeling the Behaviour of High Burn-up BWR Fuel during the LS-1 Pulse-Irradiation,” Proc. PHYSOR 2008, Interlaken, Switzerland, September 14-19, 2008.
- 10) T. Fuketa, F. Nagase and T. Sugiyama, “Progress in Fuel Safety Research at JAEA,” Proc. 16th Pacific Basin Nuclear Conference, Aomori, Japan, October 13-18, 2008.
- 11) T. Sugiyama, Y. Udagawa, M. Umeda et al., “PWR Fuel Behavior in RIA-simulating Experiment at High Temperature,” Proc. 2008 Water Reactor Fuel Performance Meeting (WRFPM), Seoul, Korea, October 19-22, 2008.
- 12) V. Georgenthum, T. Sugiyama Y. Udagawa et al., “Fracture Mechanics Approach for Failure Mode Analysis in CABRI and NSRR RIA Tests,” Proc. WRFPM 2008, Seoul,

Korea, October 19-22, 2008.

- 13) Y. Udagawa, T. Sugiyama, M. Suzuki, et al., "Cladding Stress Biaxiality in Reactivity Initiated Accident Conditions," Proc. WRFPM 2008, Seoul, Korea, October 19-22, 2008.
- 14) F. Nagase, T. Chuto and T. Fuketa, "Fracture Resistance of High Burnup PWR Fuel Cladding under Simulated LOCA Conditions," Proc. WRFPM 2008, Seoul, Korea, October 19-22, 2008.
- 15) H. Sasajima, T. Sugiyama, F. Nagase, T. Fuketa et al., "Examination on High-burnup Fuels Pulse-irradiation under Reactivity-initiated Accident Conditions", Proc. WRFPM 2008, Seoul, Korea, October 19-22, 2008.
- 16) T. Chuto, F. Nagase and T. Fuketa, "High Temperature Oxidation of Nb-containing Zr Alloy Cladding in LOCA Conditions," Proc. WRFPM 2008, Seoul, Korea, October 19-22, 2008.
- 17) M. Suzuki, "Fission Gas Release during Power Change (Re-irradiation Test of LWR Fuel Rod at JMTR)," IAEA TECDOC (IAEA/FUMEX-3 Program Meeting), Vienna, Austria, December, 2008.
- 18) T. Fuketa, T. Sugiyama, M. Umeda, et al., "Behavior of LWR/MOX Fuels under Reactivity-Initiated Accident Conditions," Proc. of Top Fuel 2009, Paris, France, September, 2009.
- 19) M. Suzuki, T. Sugiyama, Y. Udagawa, et al., "Comparative Analysis on Behavior of High Burnup PWR Fuel Pulse-Irradiated in Reactivity-Initiated Accident Conditions," Proc. of Top Fuel 2009, Paris, France, September, 2009.
- 20) F. Nagase, T. Chuto and T. Fuketa, "Cladding Embrittlement under LOCA Conditions, Examined by Two Test Methodologies," Proc. of Top Fuel 2009, Paris, France, September, 2009.
- 21) T. Sugiyama, M. Umeda, H. Sasajima, et al., "Effect of Initial Coolant Temperature on Mechanical Fuel Failure under Reactivity-Initiated Accident Conditions," Proc. of Top Fuel 2009, Paris, France, September, 2009.
- 22) T. Fuketa and T. Sugiyama, "Current RIA-related Regulatory Criteria in Japan and Their Technical Basis," Proc. of the OECD/NEA Workshop on Nuclear Fuel Behaviour during Reactivity Initiated Accident, Paris, France, September, 2009.
- 23) T. Sugiyama, M. Umeda, Y. Udagawa, et al., "Applicability of NSRR Room/High Temperature Test Results to Fuel Safety Evaluation under Power Reactor Conditions," Proc. of the OECD/NEA Workshop on Nuclear Fuel Behaviour during Reactivity Initiated Accident, Paris, France, September, 2009.
- 24) M. Suzuki, T. Sugiyama, Y. Udagawa, et al., "Numerical Analysis and Simulation of Behavior of High Burnup PWR Fuel Pulse-Irradiated in Reactivity-Initiated Accident Conditions," Proc. of the OECD/NEA Workshop on Nuclear Fuel Behaviour during Reactivity Initiated Accident, Paris, France, September, 2009.
- 25) F. Nagase, T. Sugiyama and T. Fuketa, "Microstructure and Mechanical Property Changes in Fuel Cladding during RIA-Type Temperature Transients," Proc. of the OECD/NEA Workshop on Nuclear Fuel Behaviour during Reactivity Initiated Accident, Paris, France, September, 2009.
- 26) V. Georgenthum and T. Sugiyama, "Influence on Initial Conditions on Rod Behaviour during Boiling Crisis Phase Following a Reactivity Initiated Accident," Proc. of the OECD/NEA Workshop on Nuclear Fuel Behaviour during Reactivity Initiated Accident,

Paris, France, September, 2009.

- 27) V. Grigoriev, R. Jakobsson, T. Sugiyama, F. Nagase, T. Fuketa, et al., "RIA Failure of High Burn-up Fuel Rod Irradiated in KKL: Out-of-Pile Mechanical Simulation and Comparison with Pulse Reactor Tests," Proc. of 16th International Symposium on Zirconium in the Nuclear Industry, Chengdu, China, May, 2010.
- 28) Y. Udagawa, M. Yamaguchi, et al., "Effects of Tin and Niobium on Generalized-streaking- Fault Energy Surface of Zirconium", 16th International Symposium on Zirconium in the Nuclear Industry, Chengdu, China, May, 2010.
- 29) M. Suzuki, "Power Ramp Analysis on IFA-535 (rod 809) by FEMAXI-7," IAEA CRP FUMEX-III 2nd Workshop, Pisa, Italy, June 1-4, 2010.
- 30) J. Ogiyanagi and M. Suzuki, "Validation of the FEMAXI-7 Code with the FUMEX-III Cases: RISO-III Rod GE7 & Rod II5," IAEA CRP FUMEX-III 2nd Workshop, Pisa, Italy, June 1-4, 2010.
- 31) M. Suzuki and S. Hanawa, "PCMI Analysis on NSRR RIA Experiments FK-1 and FK-2 by RANS Code", IAEA CRP FUMEX-III 2nd Workshop, Pisa, Italy, June 1-4, 2010.
- 32) T. Fuketa, F. Nagase, T. Sugiyama and M. Amaya, "Behavior of High Burnup LWR Fuels during Design-basis Accidents; Key Observations and an Outline of the Coming Program", Proc. of 2010 LWR Fuel Performance Meeting/Top Fuel/WRFPM, USA, Orlando, September, 2010.
- 33) M. Amaya, J. Nakamura, F. Nagase and T. Fuketa, "Thermal conductivity Evaluation of High Burnup Mixed-oxide (MOX) Fuel Pellet", Proc. Nuclear Materials 2010, Karlsruhe, Germany, October 4-7, 2010.
- 34) M. Suzuki and F. Nagase, "Code Analysis on Transient Behavior of LWR MOX Fuel during the Test-irradiation in Halden Reactor", Proc. 2011 Water Reactor Fuel Performance Meeting, Chengdu, China, September, 2011.
- 35) T. Sugiyama, Y. Udagawa, M. Suzuki and F. Nagase, "Influence of Coolant Temperature and Power Pulse Width on Fuel Failure Limit under Reactivity-Initiated Accident Conditions", Proc. 2011 Water Reactor Fuel Performance Meeting, Chengdu, China, September, 2011.
- 36) Y. Arai, H. Serizawa, M. Suzuki et al, "Fundamental Research on Behavior of Helium in MA-bearing Oxide fuel", Proc. of GLOBAL 2011, Makuhari, Japan, December, 2011.
- 37) F. Nagase, T. Sugiyama, M. Amaya et al., "Failure Behavior of LWR Fuel Cladding under Accident Conditions, Key Observations from Fuel Safety Research Program at JAEA", 1st Asian Zirconium Workshop, Daejeon, South Korea, June, 2011.
- 38) M. Amaya, J. Nakamura and F. Nagase, "Fission Gas Release from High Burnup Mixed Oxide (MOX) Fuel Pellets", Proc. of Enlarged Halden Programme Group Meeting 2011, Sandefjord, Norway, October, 2011.
- 39) F. Nagase, "Fuel Behavior in a Severe Accident", J-ACTINET Summer School, Tokyo, Japan, August, 2011.
- 40) F. Nagase, "Knowledge on Fuel Behavior in a Severe Accident from Studies after TMI-2 Accident", J-ACTINET Meeting 2011, Tokyo, Japan, August (2011).
- 41) H. Ogiyanaga, S. Hanawa and F. Nagase, "Status of Power Transient Test Program on LWR Fuels Using JMTR", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.

- 42) T. Fukuda, "The Cladding Fracture Behavior under Biaxial Stress Condition", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.
- 43) M. Suzuki, Y. Udagawa, T. Sugiyama and F. Nagase, "Present Status of the Verifications and Model Development of FEMAXI and RANNS Codes in JAEA", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.
- 44) T. Mihara, T. Fukuda, Y. Udagawa et al., "Fracture Behavior of Hydrided Cladding Tubes with Radial Incipient Crack in Periphery", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.
- 45) Y. Udagawa, T. Sugiyama, M. Suzuki and F. Nagase, "PCMI Failure Limit Assessed by Fracture Mechanics Approach Based on NSRR High-burnup PWR Fuel Tests", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.
- 46) M. Amaya, J. Nakamura and F. Nagase, "Fission Gas Release from High Burnup Fuel during Normal and Power Ramp Conditions", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.
- 47) T. Sugiyama, H. Sasajima, M. Amaya and F. Nagase, "Status of RIA-related Fuel Safety Research at JAEA", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.
- 48) F. Nagase, "Fuel Safety Research at JAEA", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.
- 49) F. Nagase, "Behavior of High Burnup Fuel during LOCA; Key Observation and Test Plan at JAEA", Proc. of the IAEA Technical Meeting on Fuel Behavior under Modeling under Severe Transient and LOCA Conditions, Mito, Japan, October, 2011.
- 50) Y. Udagawa, T. Sugiyama, M. Amaya et al., "Experimental and Analytical Study on MOX Fuel Behavior under RIA-simulating Conditions in the NSRR", IAEA-TECDOC, IAEA Technical Meeting on Fuel Design and Licensing of Mixed Cores for Water Cooled Reactors, Vienna, Austria, December, 2011.
- 51) T. Mihara, T. Fukuda, Y. Udagawa, et al., "Hydride Embrittlement and Fracture Mechanism of High Burnup Fuels under Reactivity Initiated Accident Conditions", Proc. of 1st Asian Nuclear Fuel Conference, Osaka, Japan, March, 2012.
- 52) Y. Arai, H. Serizawa, M. Suzuki et al, "Fundamental Research on Behavior of Helium in MA-bearing Oxide Fuel", Proc. of GLOBAL 2011, Makuhari, Japan, December, 2011.
- 53) K. Takano, T. Nishi, M. Amaya, et al, "High Temperature Reaction Between UO₂ and Sea Salt Deposit", Proc. of ERMSAR 2012, Cologne, Germany, March, 2012.
- 54) M. Suzuki, Y. Udagawa, T. Sugiyama and F. Nagase, "Model Development and Verifications for Fission Gas Inventory and Release from High Burnup PWR Fuel during Simulated Reactivity-initiated Accident Experiment at NSRR", Top Fuel 2012, Manchester, UK, September, 2012.
- 55) M. Yamato and F. Nagase, "Reduction of Breakaway Oxidation Time in Ruptured Zircaloy Cladding", Nuclear Materials 2012, Osaka, Japan, October, 2012.

- 56) M. Amaya and F. Nagase, "The Relationship Between the Oxidation Amount and Activation Energy on the Steam Oxidation Reaction of Zircaloy-4 Cladding", Nuclear Materials 2012, Osaka, Japan, October, 2012.
- 57) Y. Udagawa, T. Mihara, T. Fukuda et al., "Simulation of Fracture Behavior of Zircaloy-4 Cladding under Reactivity Initiated Accident Conditions with a Damage Mechanics Model Combined with Fuel Performance Codes FEMAXI7/RANNS", Nuclear Materials 2012, Osaka, Japan, October, 2012.
- 58) F. Nagase, "JAEA Perspective on Fuel Fragmentation and Dispersal", Public Meeting to Discuss Fuel Fragmentation, Relocation and Dispersal Research Plan and Regulatory Resolution Strategy, Rockville, USA, March, 2013.
- 59) F. Nagase, J. Ishikawa, M. Kurata, et al., "Research Subjects for Analytical Estimation of Core Degradation at Fukushima-Daiichi Nuclear Power Plant", Global 2013, Salt Lake City, USA, September, 2013.
- 60) Y. Udagawa, T. Sugiyama, M. Suzuki and M. Amaya, "Experimental Analysis with RANNS Code on Boiling Heat Transfer from Fuel Rod Surface to Coolant Water under Reactivity-Initiated Accident Conditions", IAEA Technical Meeting on Modelling of Water-Cooled Fuel Including Design Basis and Severe Accident, Chengdu, China, October, 2013.
- 61) M. Amaya, "Irradiation Behavior of High-Burnup LWR-MOX (Mixed-Oxide) Fuel", 2014 TMS Annual Meeting and Exhibition, Radiation Effects in Oxide Ceramics and Novel LWR Fuels, San Diego, USA, February, 2014.
- 62) T. Mihara, Y. Udagawa, T. Sugiyama and M. Amaya, "The Influence of Hydride Morphology on the Crack Propagation Through Fuel Cladding Wall", 2014 International Congress on the Advance in Nuclear Power Plants (ICAPP 2014), Charlotte, USA, April (2014).
- 63) S. Kamata, T. Okamoto and T. Sugiyama, "Preparation of Implementation Standard Concerning Severe Accident Management in Nuclear Power Plant", Proc. of PSAM-12, Honolulu, USA, June, 2014.
- 64) T. Okamoto, S. Kamata and T. Sugiyama, "The Technical Requirements Concerning Severe Accident Management in Nuclear Power Plant", Proc. of NUTHOS-10, Okinawa, Japan, December, 2014.
- 65) H. Wu, Y. Udagawa, T. Sugiyama et al., "Analysis of Cladding Transient Load under LOCA Quench Conditions", Proc. of WRFPM 2014, Sendai, Japan, September, 2014.
- 66) Y. Udagawa, T. Sugiyama and M. Amaya, "Reevaluation of Fuel Enthalpy in NSRR Test for High Burnup Fuels", Proc. of WRFPM 2014, Sendai, Japan, September, 2014.
- 67) M. Amaya, F. Nagase, T. Sugiyama et al., "Current Studies at JAEA on Fuel Behaviors under Accident Condition", Proc. of WRFPM 2014, Sendai, Japan, September, 2014.
- 68) T. Narukawa and M. Amaya, "Ballooning and Rupture Behavior of Zircaloy-4 Cladding under Transient-heating Conditions", Proc. of WRFPM 2014, Sendai, Japan, September, 2014.
- 69) T. Shinozaki, T. Mihara, Y. Udagawa et al., "The Failure Behavior of the Cladding with Outer Surface Pre-crack in Biaxial Stress Test", Proc. of WRFPM 2014, Sendai, Japan, September, 2014.
- 70) A. Sawada and M. Amaya, "Oxidation Behavior of Zircaloy Cladding under Nitrogen Containing Atmosphere", Proc. of WRFPM 2014, Sendai, Japan, September, 2014.

- 71) T. Mihara, Y. Udagawa, T. Sugiyama and M. Amaya, "The Influence of Hydrides on the Failure Behavior of the Hydrided Fuel Cladding Tube with Outer Surface Pre-crack", Proc. of WRFPM 2014, Sendai, Japan, September, 2014.
- 72) T. Usui, A. Sawada, M. Amaya et al., "SiC Coating as Hydrogen Permeation Reduction and Oxidation Resistance for Nuclear Fuel Cladding", 2nd Asian Nuclear Fuel Conference, Sendai, Japan, September, 2014.
- 73) H. Wu, Y. Udagawa, T. Narukawa and M. Amaya, "Axial Load Behavior Analysis of Zircaloy-4 Cladding in LOCA Quench Conditions", Proc. of 2015 23rd International Conference of Nuclear Engineering, Chiba, Japan, May, 2015.
- 74) H. Wu, Y. Udagawa, T. Narukawa, et al., "Analysis of the Transient Behavior of PWR Cladding during the Cooling Phase in Simulated LOCA experiments", Proc. of ICAPP 2015, Nice, France, May, 2015.
- 75) M. Amaya, T. Narukawa and F. Nagase, "Research Program for the Evaluation of FFRD Behavior at JAEA", Proc. HRP-WGFS LOCA Workshop on Fuel Fragmentation, Relocation and Dispersal (FFRD) Experimental Basis, Mechanisms and Modelling Approaches, Aix-en-Provence, France, May (2015).
- 76) M. Amaya, Y. Udagawa, T. Narukawa et al., "Behavior of High Burnup Advanced Fuels for LWR during Design-basis Accidents", Proc. of Top Fuel 2015, Zurich, Switzerland, September, 2015.
- 77) T. Mihara, Y. Udagawa and M. Amaya, "The Influence of Biaxial Stress in Stress-relieved Zircaloy-4 Cladding Tubes on Deformation Behavior at Room Temperature", The 3rd Asian Zirconium Workshop, Tsuruga, Japan, October, 2015.
- 78) Y. Udagawa, T. Sugiyama, M. Amaya, "Recent Research Activities Using NSRR on Safety Related Issues", Proc. of ICAPP 2016, San Francisco, USA, April (2016).
- 79) G. Rossiter, S. Massara, M. Amaya et al., "OECD/NEA Benchmark on Pellet-Clad Mechanical Interaction Modeling with Fuel Performance Codes", Proc. OECD/NEA Workshop on Pellet-Cladding Interaction (PCI) in Water-Cooled Reactors, Lucca, Italy, June (2016).
- 80) M. Amaya, Y. Udagawa, T. Narukawa et al., "Behavior of High-burnup Advanced LWR Fuels under Accident Conditions", Proc. TopFuel 2016, Boise, Idaho, USA, September (2016).
- 81) M. Negyesi, M. Amaya, "Oxidation Behavior of Zry-4 in Steam-Air Mixtures at High Temperature", Proc. TopFuel 2016, Boise, Idaho, USA, September (2016).
- 82) Y. Taniguchi, Y. Udagawa, M. Amaya, "Analyses of SPERT-CDC Test 859 by FEMAXI-7 and RANNS Codes", Proc. TopFuel 2016, Boise, Idaho, USA, September (2016).
- 83) T. Mihara, Y. Udagawa, M. Amaya, "Mechanical Properties of Recrystallized and Stress-Relieved Zircaloy-4 Cladding Tubes under Biaxial Stress Conditions", The Nuclear Materials Conference 2016, Montpellier, France, November (2016).
- 84) F. Li, T. Mihara, M. Amaya, "Biaxial-EDC Test Attempts with Pre-cracked Zircaloy-4 Cladding Tubes", Proc. of the International Conference on Nuclear Engineering, Shanghai, China, July (2017).
- 85) M. Negyesi, M. Amaya, "High Temperature Oxidation of Zry-4 in Oxygen-Nitrogen Atmospheres", Proc. of the International Conference on Nuclear Engineering, Shanghai, China, July (2017).

- 86) M. Amaya, Y. Udagawa, “Key Issues Identified in Fuel Safety Studies on the Modeling of Fission Gas Behaviors Inside Fuel Pellet under Normal and Off-normal Conditions”, Proc. OECD NEA Workshop on Nuclear-fuel Modeling to Support Safety and Performance Enhancement for Water-cooled Reactors, Paris, France, March (2017).
- 87) M. Amaya, Y. Udagawa, T. Narukawa et al., “Behavior of High-burnup Advanced LWR Fuels under Design-basis Accident Conditions”, Proc. 2017 Water Reactor Fuel Performance Meeting, Jeju, Korea, September (2017).
- 88) T. Narukawa, “Study on the Effect of Azimuthal Temperature Difference on the Ballooning and rupture Behavior of Zircaloy-4 Cladding Tube under Transient-heating Conditions”, Studsvik Cladding Integrity Program (SCIP-III), Budapest, Hungary, May (2018).
- 89) M. Amaya, Y. Udagawa, T. Narukawa et al., “Behaviors of High-burnup LWR Fuels with Improved Materials under Design-basis Accident Conditions”, Proc. of TopFuel 2018, P.A0093, Prague, Czech Republic, September (2018).
- 90) A. Yamauchi, M. Amaya, “The Effect of Final Heat Treatment at Fabrication on the Terminal Solid Solubility of Hydrogen in Zry-4”, Proc. of TopFuel 2018, Prague, Czech Republic, September (2018).
- 91) M. Dostal, G. Rossiter, A. Dethioux, J. Zhang, M. Amaya, et al., “OECD/NEA Benchmark on Pellet-clad Mechanical Interaction Modelling with Fuel Performance Codes: Impact of Number of Radial Pellet Cracks and Pellet-clad Friction Coefficient”, Proc. of TopFuel 2018, P.A0219, Prague, Czech Republic, September (2018).
- 92) K. Kakiuchi, Y. Udagawa, M. Amaya, “Status of Fission Gas Dynamics Test”, 22nd Meeting of CIP Technical Advisory Group, Aix-en-Provence, France, September (2018).
- 93) K. Kakiuchi, Y. Udagawa, M. Amaya, “Status of ALPS-II Program”, 22nd Meeting of CIP Technical Advisory Group, Aix-en-Provence, France, September (2018).
- 94) T. Narukawa, A. Yamaguchi, S. Jang, M. Amaya, “Application of Bayesian Optimal Experimental Design to Reduce Parameter Uncertainty in the Fracture Boundary of a Fuel Cladding Tube under LOCA Conditions”, Procs. of 14th International Conference on Probabilistic Safety Assessment and Management (PSAM-14), Los Angeles, USA, September (2018).
- 95) M. Negyesi, M. Amaya, “Effect of experimental setting and surface roughness on oxidation behavior of Zry-4 in steam at 1273 K”, Proc. 27th International Conference on Nuclear Engineering (ICONE-27), Tsukuba, Japan, May (2019).
- 96) M. Amaya, K. Kakiuchi, T. Mihara, “Irradiation Growth Behavior of Improved Zr-based Alloys for Fuel Cladding”, Proc. TopFuel 2019, Seattle, WA, USA, September (2019).
- 97) T. Mihara, Y. Udagawa, M. Amaya et al., “Behavior of LWR Fuels with Additives under Reactivity-Initiated Accident Conditions”, Proc. TopFuel 2019, Seattle, WA, USA, September (2019).
- 98) T. Narukawa, M. Amaya, “Behavior of high-burnup advanced LWR fuel cladding tubes under LOCA conditions”, Proc. TopFuel 2019, Seattle, WA, USA, September (2019).
- 99) Y. Taniguchi, Y. Udagawa, T. Mihara et al., “Behavior of High-Burnup LWR-MOX Fuel under a Reactivity-Initiated Accident Condition”, Proc. TopFuel 2019, Seattle, WA, USA, September (2019).

口頭発表:

- 1) T. Fuketa, "Fuel Safety Research at JAEA," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 2) T. Sugiyama, "PCMI Failure of High Burnup Fuels under RIA Conditions," Fuel Safety Research Meeting, Tokai, Japan, May 16-17 (2007).
- 3) M. Umeda, "MOX Fuel Behavior during RIA," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 4) M. Suzuki, "Analysis of Thermal Stress in High Burnup Fuel Pellet during NSRR Experiment," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 5) Y. Udagawa, "Stress Intensity Factor at the Tip of Cladding Incipient Crack under RIA Conditions," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 6) H. Sasajima, "Fission Gas Release from High Burnup PWR and BWR Fuels under RIA Conditions," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 7) T. Sugiyama, "NSRR High Temperature test," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 8) F. Nagase, "Behavior of High Burnup Fuel Cladding under Simulated LOCA Conditions," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 9) M. Suzuki, "Present Stage of Development of High Burnup Fuel Analysis Code FEMAXI-6," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 10) J. Nakamura, "Strain of Crystal lattice in Irradiated Fuel," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 11) T. Kudo, "Results from VEGA Program on Radionuclide Release from Fuel under Severe Accident Condition," Fuel Safety Research Meeting, Tokai, Japan, May 16-17, 2007.
- 12) T. Kudo, "Radionuclide Release from Fuel under Severe Accident Conditions," KNS and AESJ Joint Summer School 2007 for Students and Young Researchers, Seoul, Korea, Aug. 27-30, 2007.
- 13) 鈴木, "軽水炉高燃焼度燃料解析コードの開発における通常時及び事故時ふるまいのモデルと課題", 関西原子力懇談会 第1回 PWR 燃料の高度化に関する遊佐委員会, 2007年8月.
- 14) 更田, 杉山, 永瀬, "反応度事故時における高燃焼度燃料の挙動 ; (1)日本原子力研究開発機構における研究", 日本原子力学会 2007年秋の大会, 2007年9月.
- 15) 杉山, 梅田, 笹島, 他, "反応度事故時における高燃焼度燃料の挙動 ; (2)被覆管における水素化物析出状態が PCMI 破損に及ぼす影響", 日本原子力学会 2007年秋の大会, 2007年9月.
- 16) 梅田, 杉山, 笹島, 他, "反応度事故時における高燃焼度燃料の挙動 ; (3)NSRR における軽水炉照射 MOX 燃料実験", 日本原子力学会 2007年秋の大会, 2007年9月.
- 17) 宇田川, 鈴木, 杉山, 他, "反応度事故時における高燃焼度燃料の挙動 ; (4)被覆管初き裂先端の応力拡大係数", 日本原子力学会 2007年秋の大会, 2007年9月.
- 18) 中村, 天谷, 宇田川, 他, "高燃焼度 BWR-MOX 及び UO₂ 燃料の照射挙動評価", 日本原子力学会 2007年秋の大会, 2007年9月.

- 19) 永瀬, 中頭, 更田, “改良合金を備えた高燃焼度 PWR 燃料被覆管の LOCA 時挙動”, 日本原子力学会 2007 年秋の大会, 2007 年 9 月.
- 20) M. Umeda, T. Sugiyama, T. Fuketa, et al., “Behavior of Coated Fuel Particle of High Temperature Gas-cooled Reactor under Reactivity Initiated Accident Condition,” Workshop on Advanced Reactors with Innovative Fuels (ARWIF), Fukui, Japan, Feb. 20-22, 2008.
- 21) 本田, 小野澤, 更田, 他, “反射電子像の画像解析による照射済被覆管の水素濃度測定”, 日本原子力学会 2008 年春の年会, 2008 年 3 月.
- 22) 鈴木, 更田, 齋藤, “FEMAXI-6 コードにおける FP ガスバブル成長計算への速度論モデル適用の試み”, 日本原子力学会 2008 年春の年会, 2008 年 3 月.
- 23) 中頭, 永瀬, 更田, “M5 被覆管の高温酸化におよぼす水素の影響”, 日本原子力学会 2008 年春の年会, 2008 年 3 月.
- 24) M. Kinoshita, K. Yasunaga, K. Sonoda et al., Recovery and Restructuring Induced by Fission Energy Ions in High Burnup Nuclear Fuel,” International Symposium on Swift Heavy Ions in Matter, SHIM2008, Lyon, France, June, 2008.
- 25) M. Umeda, S. Ueta and T. Sugiyama, “Behavior of HTGR Particle Fuel under Reactivity Initiated Accident Condition,” ANS Nuclear Fuels and Structural Materials for the Next Generation Nuclear Reactor (NFSM), Anaheim, California, USA, Jun. 8-12, 2008.
- 26) 更田, 永瀬, 杉山, 他, ”反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における高燃焼度燃料の挙動 (1)研究計画の概要”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 27) 杉山, 笹島, 永瀬, 他, ”反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における高燃焼度燃料の挙動 (2)RIA 時の PCMI 破損”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 28) 宇田川, 杉山, 更田, 他, ”反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における高燃焼度燃料の挙動 (3)RIA 時燃料挙動に対する冷却材温度の影響”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 29) 梅田, 杉山, 永瀬, 他, ”反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における高燃焼度燃料の挙動 (4)RIA 時の MOX 燃料挙動”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 30) 鈴木, 杉山, 永瀬, 他, ”反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における高燃焼度燃料の挙動 (5)RANNS コードによる RIA 時燃料破損条件の解析”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 31) 永瀬, 中頭, 畠山, 他, ”反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における高燃焼度燃料の挙動 (6)LOCA 時の燃料棒破断条件”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 32) 中頭, 永瀬, 小野, 他, ”反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における高燃焼度燃料の挙動 (7)LOCA 時の被覆管酸化挙動”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 33) 井勝, 中頭, 永瀬, 他, ”水素化物偏在被覆管の拡管試験”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 34) 木下, 陳, 他, “新クロスオーバー研究 (NXO) その 1 高燃焼度燃料細粒化・リム組織形成シミュレーション研究の概要”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 35) 耿, 陳, 他, “New Cross Over Project Study (5) Oxygen Defects Configuration in UO_2 :

- Cub-Octahedral Clusters”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
- 36) 金田, 耿, 他, “新クロスオーバー研究 (NXO) その 6 CeO₂/UO₂ における原子間ポテンシャルの特性”, 日本原子力学会 2008 年秋の大会, 2008 年 9 月.
 - 37) 杉山, “被覆管外周部の水素化物が反応度事故時の燃料破損に及ぼす影響”, 日本原子力学会・核燃料部会 第 23 回核燃料・夏期セミナー, 2008 年 7 月.
 - 38) 宇田川, 山口, 他, “ジルコニウム水素固溶体及び水素化物中面欠陥の第一原理計算”, 日本原子力学会 2009 年春の年会, 2009 年 3 月.
 - 39) 更田, “RIA, LOCA 事象について”, 照射燃料検討会, 2009 年 3 月.
 - 40) M. Amaya, J. Nakamura and T. Fuketa, “Measurement of Crystal Lattice Strain and Crystallite Size in Irradiated UO₂ Pellet”, 新クロスオーバー研究 (NXO) 国際ワークショップ ープロジェクト成果と実機高燃焼時細粒化の機構解明ー, 東京, 2009 年 1 月.
 - 41) T. Sugiyama, “PCMI Failure of High Burnup Fuel under High Temperature RIA Conditions,” Fuel Safety Research Meeting, Tokai, Japan, May 20-21, 2009.
 - 42) F. Nagase, “Fracture Resistance and Embrittlement of High Burnup Fuel Cladding under LOCA Conditions, ” Fuel Safety Research Meeting, Tokai, Japan, May 20-21, 2009.
 - 43) T. Fuketa, “Fuel Safety Research at JAEA,” Fuel Safety Research Meeting, Tokai, Japan, May 20-21, 2009.
 - 44) Y. Udagawa, “Ab Initio Study on Plane Defects in Zirconium Hydrogen Solution and Zirconium Hydride,” Fuel Safety Research Meeting, Tokai, Japan, May 20-21, 2009.
 - 45) M. Suzuki, “Numerical Analysis on the Cladding Fuel Behavior of High Burnup PWR Fuels in NSRR Experiments,” Fuel Safety Research Meeting, Tokai, Japan, May 20-21, 2009.
 - 46) T. Fukuda, “Development of Testing Technique on Failure Behavior of Fuel Cladding,” Fuel Safety Research Meeting, Tokai, Japan, May 20-21, 2009.
 - 47) M. Suzuki, “Analysis and Evaluation on High Burn-up Fuel Behavior by FEMAXI Code,” Fuel Safety Research Meeting, Tokai, Japan, May 20-21, 2009.
 - 48) 宇田川豊, “ジルコニウム中水素挙動・脆化に関する原子論的研究”, 日本原子力学会 2009 軽水炉燃料・材料・水化学夏期セミナー, 松江, 2009.
 - 49) T. Fuketa, “Fuel Behavior during Design-basis Accidents in LWRs”, The International Summer School on Nuclear Power Plants and Young Generation Workshop, Tokai, Japan, Aug. 2009.
 - 50) 鈴木, 杉本, 杉山, 更田, “燃料関連指針類の体系的整理に関する調査報告 (2)体系的整理の方法”, 日本原子力学会 2009 年秋の大会, 2009 年 9 月.
 - 51) 村上, 杉山, 鈴木, 更田, “燃料関連指針類の体系的整理に関する調査報告 (3)設計指針に関する体系的の検討”, 日本原子力学会 2009 年秋の大会, 2009 年 9 月.
 - 52) 杉山, 小野, 鈴木, 更田, “燃料関連指針類の体系的整理に関する調査報告 (4)その他の検討, まとめ, 提言”, 日本原子力学会 2009 年秋の大会, 2009 年 9 月.
 - 53) 永瀬, 中頭, 鈴木, 更田, “リング圧縮試験による酸化・急冷した高燃焼度燃料被覆管の延性評価”, 日本原子力学会 2010 年春の年会, 水戸, 2010 年 3 月.

- 54) T. Fuketa, "Fuel Safety Research at JAEA," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 55) M. Suzuki, "Simulation Analysis with Wider Pulse for the High Burnup Fuel Rods Failed by PCMI at NSRR," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 56) H. Sasajima, "Summary of the Pulse Irradiation Experiments, TK and FK," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 57) T. Sugiyama, "High Burnup Fuel Behavior under High Temperature RIA Conditions," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 58) T. Fukuda, "Development of Pre-cracked Cladding Specimen for PCMI Failure Study," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 59) M. Amaya, "Fission Gas Release of LWR-MOX Fuel under RIA Condition," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 60) N. Tregoures, V. Georgenthum and T. Sugiyama, "The Fission Gas Dynamic Program," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 61) N. Tregoures and T. Sugiyama, "Clad to Coolant Heat Transfer in RIA Transient," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 62) F. Nagase, "Status and Plan of LOCA Study at JAEA," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 63) T. Chuto, "Oxidation of High Burnup Fuel Cladding in LOCA Conditions," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 64) M. Suzuki, "Development Stage of the FEMAXI and RANNS Codes, and Benchmark Calculations for FUMEX-III," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 65) J. Ogiyanagi, "FEMAXI-7 Analysis on UO₂ Fuel Behavior during Power Transients," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 66) Y. Udagawa, "Effects of Sn on Generalized-Stacking-Fault Energy Surfaces in Zirconium and Gamma Hydride Habit Planes," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 67) J. Nakamura, "Fission Gas Releases of High Burnup MOX and UO₂ Fuels Irradiated in HBWR," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 68) S. Hanawa, "Irradiation test Program for Fuel and Water Chemistry Study in JMTR," Fuel Safety Research Meeting, Tokai, Japan, May 19-20, 2010.
- 69) 杉山, 宇田川, 福田, 永瀬, 他, "高温条件下の反応度事故模擬実験における高燃焼度 PWR 及び BWR 燃料挙動", 日本原子力学会 2010 年秋の大会, 2010 年 9 月.
- 70) 福田, 杉山, 宇佐見, 村尾, 永瀬, "反応度事故条件下における高燃焼度 9×9BWR 燃料の挙動", 日本原子力学会 2010 年秋の大会, 2010 年 9 月.
- 71) 永瀬, "軽水炉燃料のふるまい - 通常時, 事故時挙動 - ", 第 33 回軽水炉燃料に関する技術セミナー, 2010 年 8 月.
- 72) 杉山, "より高度な軽水炉利用に向けた燃料安全研究: 原子炉安全性研究炉 NSRR を用いた事故時燃料挙動の究明", 平成 22 年度安全研究センター成果報告会, 東京, 2011 年 1 月.

- 73) 永瀬, “TMI-2 デブリの分析”, 次世代再処理技術専門委員会, 東京, 2011 年 6 月.
- 74) 三原, 福田, 宇田川, 杉山, 永瀬, “EDC 試験を用いた水素添加 RAG 被覆管の破損挙動評価”, 日本原子力学会 2011 年秋の大会, 北九州, 2011 年 9 月.
- 75) 福田, 杉山, 三原, 永瀬, “高燃焼度燃料被覆管の RIA 時破損挙動評価に関する表面予き裂導入方法の開発”, 日本原子力学会 2011 年秋の大会, 北九州, 2011 年 9 月.
- 76) F. Nagase, “Fuel Behavior in a Severe Accident”, J-ACTINET Summer School, Tokyo, Japan, August, 2011.
- 77) F. Nagase, “Knowledge on Fuel Behavior in a Severe Accident from Studies after TMI-2 Accident”, J-ACTINET Meeting 2011, Tokyo, Japan, August, 2011.
- 78) 杉山, 福田, 永瀬, “高燃焼度燃料の事故時挙動に関する研究”, 平成 23 年度安全研究センター成果報告会, 東京, 2012 年 1 月.
- 79) 大和, 福田, 天谷, 永瀬, “燃料被覆管の高温酸化膜性状に及ぼす海水成分の影響”, 日本原子力学会 2012 年春の年会, 福井, 2012 年 3 月.
- 80) 福田, 杉山, 三原, 天谷, 永瀬, “被覆管多軸応力負荷試験装置の開発と特性試験結果”, 日本原子力学会 2012 年春の年会, 福井, 2012 年 3 月.
- 81) 山口, 宇田川, 阿部, 関村, “Zr-Nb 合の腐食, 水素化および照射効果に関する研究 (5) シミュレーション”, 日本原子力学会 2012 年春の年会, 福井, 2012 年 3 月.
- 82) 西, 高野, 倉田, 天谷, 永瀬, “X 線回折による UO_2 と海水塩の高温反応生成物の同定”, 日本原子力学会 2012 年春の年会, 福井, 2012 年 3 月.
- 83) 永瀬, “軽水炉での冷却材喪失時のジルカロイ被覆管挙動”, 第 175 回腐食防食シンポジウム, 東京, 2012 年 2 月.
- 84) 永瀬, “軽水炉シビアアクシデント時の燃料のふるまい”, 第 2 回軽水炉燃料・材料・水化学夏期セミナー, 島根, 2012 年 7 月.
- 85) 大和, 杉山, 永瀬, “軽水炉燃料の事故時挙動に関する研究”, 平成 24 年度安全研究センター成果報告会, 東京, 2012 年 1 月.
- 86) 大和, 永瀬, “LOCA クエンチ後の燃料被覆管の曲げ強度”, 日本原子力学会 2013 年春の年会, 東大阪, 2013 年 3 月.
- 87) 三原, 宇田川, 杉山, 永瀬, “水素を吸収させた予き裂入り被覆管の破壊挙動”, 日本原子力学会 2013 年春の年会, 東大阪, 2013 年 3 月.
- 88) 三原, 宇田川, 杉山, 天谷, “水素吸収した予き裂入り被覆管のき裂進展挙動に対する水素化物の影響”, 第 27 回核燃料・夏期セミナー, 岐阜, 2013 年 7 月.
- 89) 成川, 杉山, 天谷, “リスク情報を活用した意思決定における低頻度高影響度事象の評価手法 —事故時の燃料挙動に関する研究課題検討への利用—”, 第 27 回核燃料・夏期セミナー, 岐阜, 2013 年 7 月.
- 90) 永瀬, “事故時の燃料ふるまい —冷却材喪失事故 (LOCA), TMI 事故—”, 第 36 回軽水炉燃料に関する技術セミナー, 東京, 2013 年 8 月.
- 91) 永瀬, 杉山, 天谷, “NSRR を用いた燃料溶融実験の計画”, 平成 25 年度安全研究センター成果報告会, 東京, 2014 年 1 月.
- 92) 宇田川, “損傷力学モデルを用いた数値シミュレーションによる反応度事故時の燃料被覆管

- 破損挙動の解明”，平成 25 年度安全研究センター成果報告会，東京，2014 年 1 月。
- 93) 天谷，三原，宇田川，“軽水炉燃料の事故時挙動に関する研究”，平成 25 年度安全研究センター成果報告会，東京，2014 年 1 月。
 - 94) 澤田，天谷，“窒素を含む水蒸気雰囲気下でのジルカロイ被覆管の酸化挙動”，日本原子力学会 2014 年春の年会，東京，2014 年 3 月。
 - 95) 篠崎，三原，宇田川，他，“外面予き裂入り被覆管を用いた二軸応力負荷試験における被覆管破損挙動”，日本原子力学会 2014 年春の年会，東京，2014 年 3 月。
 - 96) 三原，宇田川，杉山，天谷，“水素吸収させた外面予き裂被覆管の破損挙動に対する水素化物の影響”，日本原子力学会 2014 年春の年会，東京，2014 年 3 月。
 - 97) 鈴木，“原子力機構における燃料コード開発 –FEMAXI 開発を中心として–”，第 28 回核燃料・夏期セミナー，掛川，2014 年 7 月。
 - 98) 臼井，澤田，天谷，他 2 名，“SiC コーティング被覆管材料の LOCA 時挙動”，第 28 回核燃料・夏期セミナー，掛川，2014 年 7 月。
 - 99) 木下，阿部，宇田川，他 4 名，“FEMAXI-7 及び ANSYS を用いた改良型 EDC 試験の実機適用性に関する検討”，日本原子力学会 2014 年秋の大会，京都，2014 年 9 月。
 - 100) 成川，天谷，“LOCA 模擬実験時の加熱方法が Zircaloy-4 被覆管の膨れ及び破裂挙動に及ぼす影響”，日本原子力学会 2015 年春の年会，日立，2015 年 3 月。
 - 101) 三輪，天谷，“LOCA クエンチ後の再昇温がジルカロイ 4 被覆管の酸化挙動に及ぼす影響”，日本原子力学会 2015 年春の年会，日立，2015 年 3 月。
 - 102) Wu，宇田川，成川，天谷，“Investigation of the Occurrence of a Load Spike in LOCA Quench Experiment”，日本原子力学会 2015 年春の年会，日立，2015 年 3 月。
 - 103) 臼井，小宮山，天谷，他 2 名，“SiC コーティング被覆管材料の酸化挙動”，日本原子力学会 2015 年春の年会，日立，2015 年 3 月。
 - 104) 小宮山，天谷，“ジルカロイ 4 の酸化に及ぼす固体ホウ酸の影響”，日本原子力学会 2015 年秋の大会，静岡，2015 年 9 月。
 - 105) 三原，宇田川，天谷，“再結晶焼鈍したジルカロイ被覆管の室温における二軸応力下変動挙動”，日本原子力学会 2015 年秋の大会，静岡，2015 年 9 月。
 - 106) 三原，宇田川，天谷，“ジルカロイ被覆管の二軸応力下変形挙動の実験的評価手法”，2015 東北大学金属材料研究所ワークショップ「原子力材料研究に関する実験・計算技術の新展開」，仙台，2015 年 11 月。
 - 107) 谷口，宇田川，天谷，“事故時燃料挙動解析コード RANNS を用いた SPERT-CDC859 実験の解析”，日本原子力学会 2016 年春の年会，仙台，2016 年 3 月。
 - 108) 天谷，“JAEA における燃料安全研究の近況”，日本原子力学会核燃料部会第 29 回核燃料・夏期セミナー，渋川，2016 年 7 月。
 - 109) 山本，成川，堺，“社会と共存する魅力的な軽水炉が有するべき特性”，日本原子力学会 2016 年秋の大会，久留米，2016 年 9 月。
 - 110) M. Amaya，“Fuel Safety Research at JAEA”，Fuel Safety Research Meeting 2016, Mito, Japan, October (2016).
 - 111) Y. Udagawa，“Status and Plan of RIA Study at JAEA”，Fuel Safety Research Meeting

- 2016, Mito, Japan, October (2016).
- 112) Y. Taniguchi, “Analytical Study of the Cladding Corrosion Effect on the Failure Limit of SPERT-CDC Test 859 by Using FEMAXI-7 and RANNS Codes”, Fuel Safety Research Meeting 2016, Mito, Japan, October (2016).
 - 113) D. Komiya, “Fracture Boundary of Unirradiated Fuel Cladding with a Pinhole under LOCA conditions”, Fuel Safety Research Meeting 2016, Mito, Japan, October (2016).
 - 114) M. Negyesi, “Oxidation and Embrittlement Behavior of Zry-4 Cladding in Air-Containing Atmospheres at High Temperature”, Fuel Safety Research Meeting 2016, Mito, Japan, October (2016).
 - 115) F. Li, “Mechanical Response of Pre-cracking Zircaloy-4 Cladding Tubes under Biaxial-EDC Conditions”, Fuel Safety Research Meeting 2016, Mito, Japan, October (2016).
 - 116) T. Narukawa, “Status and Plan of LOCA Study at JAEA”, Fuel Safety Research Meeting 2016, Mito, Japan, October (2016).
 - 117) T. Yumura, “Four Point Bend Test Results of Ballooned Cladding Tubes”, Fuel Safety Research Meeting 2016, Mito, Japan, October (2016).
 - 118) T. Mihara, “Biaxial Tensile Testing of Stress-Relieved and Recrystallized Zircaloy-4 Cladding Tubes at Room Temperature”, Fuel Safety Research Meeting 2016, Mito, Japan, October (2016).
 - 119) 湯村、天谷, “LOCA 時の燃料被覆管の膨れ量と急冷後の曲げ強度との関係”, 日本原子力学会 2017 年春の年会, 平塚, 2017 年 3 月.
 - 120) 成川, “「社会と共存する魅力的な軽水炉が有すべき特性」(3) 社会的受容性とそれから展開される基本要件”, 「社会と共存する魅力的な軽水炉の展望」調査専門委員会主催シンポジウム「社会と共存する魅力的な軽水炉有すべき特性」, 東京, 2017 年 3 月.
 - 121) 成川, 山口, 張, 天谷 “非照射ジルカロイ-4 被覆管の LOCA 時破断限界の不確かさ評価”, 日本原子力学会 2017 年秋の大会, 札幌, 2017 年 9 月.
 - 122) Y. Udagawa, T. Mihara, M. Amaya, “Nuclear Safety Research Reactor (NSRR)”, Workshop on Reactor Irradiation Rig Development, Instrumentation and Qualification, Mol, Belgium, October (2017).
 - 123) M. Amaya, “Fuel Safety Research at JAEA”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 124) M. Amaya, “Status of RIA and LOCA Criteria in Japan”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 125) A. Yamauchi, M. Amaya, “Hydrogen Solubility and Heat Capacity Measurement on Cold Worked, Stress Relieved and Recrystallized Zry-4 by DSC”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 126) F. Li, “Biaxial EDC Test with Hydrided Zircaloy-4 Cladding”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 127) Y. Okada, “Fracture Behavior of Non-irradiated Zircaloy-4 Fuel Cladding with a Pinhole under Simulated LOCA Condition”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 128) Y. Taniguchi, “Analytical Study of the Cladding Corrosion Effect on the Failure Limit of

- SPERT-CDC Test 756 by Using FEMAXI-7 and RANNS Codes”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
- 129) T. Narukawa, “Status and Plan of LOCA Study at JAEA”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 130) T. Mihara, “Biaxial Tensile Testing of Hydrided Zircaloy-4 Cladding Tubes at Room Temperature”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 131) T. Mihara, “Status and Plan of RIA Study at JAEA”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 132) T. Yumura, “Four Point Bend Test Results of Ballooned Cladding Tube”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 133) M. Negyesi, “Oxidation and Embrittlement Behaviors of Zry-4 Cladding in Steam-air Mixtures at High Temperatures”, Fuel Safety Research Meeting 2017, Mito, Japan, October (2017).
 - 134) 成川, 山口, 張, 天谷 “LOCA 時の燃料被覆管急冷破断限界に及ぼす照射影響の評価”, 日本原子力学会 2018 年春の年会, 吹田, 2018 年 3 月.
 - 135) 宇田川, 天谷 “燃料挙動解析コード FEMAXI-8 の開発 ; 軽水炉燃料挙動モデルの改良と総合性能の検証”, 日本原子力学会 2018 年秋の大会, 岡山, 2018 年 9 月.
 - 136) T. Narukawa, “Status and plan of LOCA Study at JAEA”, Fuel Safety Research Meeting 2018, Mito, Japan, October (2018).
 - 137) Y. Okada, “Effects of Oxidation and Secondary Hydriding on the Strength of post LOCA Cladding”, Fuel Safety Research Meeting 2018, Mito, Japan, October (2018).
 - 138) Y. Tanisuchi, “Behavior of High Burnup MOX Fuel with M5 Cladding under RIA Conditions”, Fuel Safety Research Meeting 2018, Mito, Japan, October (2018).
 - 139) A. Yamauchi, M. Amaya, “Dissolution and Precipitation Behaviors of hydrides in Cold Worked, Stress Relieved and Recrystallized Zry-4”, Fuel Safety Research Meeting 2018, Mito, Japan, October (2018).
 - 140) Y. Udagawa, “Status and plan of RIA Study at JAEA”, Fuel Safety Research Meeting 2018, Mito, Japan, October (2018).
 - 141) F. Li, “Effect of Hydride Morphology on the Failure Strain of Pre-cracked Zircaloy-4 Cladding under Biaxial Stress Conditions”, Fuel Safety Research Meeting 2018, Mito, Japan, October (2018).
 - 142) M. Amaya, “Fuel Safety Research at JAEA”, Fuel Safety Research Meeting 2018, Mito, Japan, October (2018).
 - 143) T. Mihara, “Behavior of High Burnup BWR UO₂ Fuels with Additives under RIA Conditions”, Fuel Safety Research Meeting 2018, Mito, Japan, October (2018).
 - 144) 天谷, “事故時の燃料ふるまい”, 第 39 回軽水炉燃料に関する技術セミナー, 東京, 2018 年 12 月.
 - 145) 天谷, 伊藤, 小椋, “高燃焼度改良型燃料の反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における挙動,1; 全体概要”, 日本原子力学会 2019 年春の年会, 水戸, 2019 年 3 月.
 - 146) 宇田川, 村尾, 鈴木, 天谷, “高燃焼度改良型燃料の反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における挙動,2; 高燃焼度改良型燃料の RIA 時挙動”, 日本原子力学会 2019

年春の年会，水戸，2019年3月。

- 147) 三原, 宇田川, 鈴木, 吉田, 天谷, “高燃焼度改良型燃料の反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における挙動,3; 高燃焼度添加物入り UO₂燃料の RIA 時挙動”, 日本原子力学会 2019 年春の年会, 水戸, 2019 年 3 月.
- 148) 谷口, 宇田川, 村松, 蛭田, 天谷, “高燃焼度改良型燃料の反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における挙動,4; 高燃焼度 MOX 燃料の RIA 時挙動”, 日本原子力学会 2019 年春の年会, 水戸, 2019 年 3 月.
- 149) 成川, 上原, 天谷, “高燃焼度改良型燃料の反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における挙動,5; 高燃焼度改良型燃料の LOCA 時挙動”, 日本原子力学会 2019 年春の年会, 水戸, 2019 年 3 月.
- 150) 垣内, 成川, 小畑, 天谷, “高燃焼度改良型燃料の反応度事故(RIA)及び冷却材喪失事故(LOCA)条件下における挙動,6; 高燃焼度改良被覆管の高温酸化挙動”, 日本原子力学会 2019 年春の年会, 水戸, 2019 年 3 月.
- 151) 岡田, 天谷, “二次水素化が冷却材喪失事故(LOCA)後の被覆管曲げ強度に及ぼす影響”, 日本原子力学会 2019 年春の年会, 水戸, 2019 年 3 月.
- 152) 成川, “ジルカロイ-4 被覆管の冷却材喪失事故時急冷破断限界に関する不確かさ定量化及び低減手法の開発”, 日本原子力学会核燃料部会 2019 年度第 31 回「核燃料・夏期セミナー」, 松島, 2019 年 7 月.
- 153) 天谷, “JAEA の燃料安全研究における最近の成果”, 日本原子力学会核燃料部会 2019 年度第 31 回「核燃料・夏期セミナー」, 松島, 2019 年 7 月.
- 154) 田崎, 山路, 天谷, “多段燃料シャッフリングを用いた BWR の炉心・燃料設計”, 日本原子力学会核燃料部会 2019 年度第 31 回「核燃料・夏期セミナー」, 松島, 2019 年 7 月.
- 155) Y. Udagawa, M. Amaya, “Updates Made on Sec.6.2.5-6.2.6 + Chap.7 + App.A (after 2nd-draft)”, 4th Meeting of the WGFS URSO Activity; Update of the State-of-the-art Report on Fuel behavior in RIA Conditions, Paris, France, September (2019).
- 156) Y. Tasaki, “Preliminary Analysis on Fission Gas Release of MOX Fuel in Consideration of the Heterogeneous Structure”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).
- 157) F. Li, “Fracture-Mechanics-Based Evaluation of Failure Limit of Pre-cracked and Hydrided Zircaloy-4 Cladding Under Biaxial Stress States”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).
- 158) Y. Okada, “Effect of Hydrogen Absorption on Bending Strength of Cladding Tube Experienced Simulated LOCA Test”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).
- 159) M. Amaya, “Fuel Safety Research at JAEA”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).
- 160) Y. Udagawa, “Comparative Analysis on Base-irradiation Behaviors of OS-1 Test Rod and Other BWR-fuel Rods Subjected to Previous NSRR Tests”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).
- 161) M. Nygyesi, “Effect of Experimental Setting and Specimen Surface Roughness on High Temperature Steam Oxidation of Zry-4 Fuel Cladding”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).

- 162) T. Narukawa, “Status and Plan of LOCA Study at JAEA”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).
- 163) Y. Tanagichi, “The Behavior of High-burnup MOX Fuel (CN-1 Test Rod) under RIA Condition”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).
- 164) K. Kakiuchi, “Fission Gas Release of MOX Fuel under RIA Condition”, Fuel Safety Research Meeting 2019, Mito, Japan, October (2019).
- 165) 三原, “反応度事故時の燃料被覆管破損メカニズムに関する研究；二軸荷重負荷条件及び水素化物析出形態の影響”, 令和元年度安全研究センター報告会, 東京, 2019年11月.
- 166) 成川, 宇田川, 天谷, “冷却材喪失事故後の燃料被覆管耐破断性評価”, 令和元年度安全研究センター報告会, 東京, 2019年11月.
- 167) 天谷, “事故時の燃料ふるまい”, 第40回軽水炉燃料に関する技術セミナー, 東京, 2019年12月.
- 168) 垣内, 天谷, “ジルカロイ-4被覆管の照射成長に及ぼす製造条件の影響”, 日本原子力学会2020年春の年会, 福島, 2020年3月.
- 169) 岡田, 天谷, “水素吸収させた被覆管の冷却材喪失事故 (LOCA) 模擬試験後曲げ強度”, 日本原子力学会2020年春の年会, 福島, 2020年3月.