

## Reference

- (1) Atomic Energy Commission (1994) : Long-term Program for Research, Development and Utilization of Nuclear Energy, Government Printing Office, Ministry of Finance, 41p (in Japanese).
- (2) PNC( 1996 ): Master Plan of Mizunami Underground Research Laboratory, PNC Technical Report, PNC TN7070 96-002 (in Japanese).
- (3) PNC (1996): Annual Plan of Geoscientific Researches in the MIU Project (1996), PNC Technical Report, PNC TN7010 97-004 (in Japanese).
- (4) PNC (1997): Annual Plan of Geoscientific Researches in the MIU Project (1996), PNC Technical Report, PNC TN7010 97-005 (in Japanese).
- (5) PNC (1998): Annual Plan of Geoscientific Researches in the MIU Project (1996), PNC Technical Report, PNC TN7410 98-002 (in Japanese).
- (6) JNC (1999): Annual Plan of Geoscientific Researches in the MIU Project (1996), JNC Technical Report, JNC TN7410 2001-004 (in Japanese).
- (7) JNC (1998): Mizunami Underground Research Laboratory Project - plan for the surface-based investigation (Phase I : 1999~2000 FY) -, JNC TN7410 99-004 (in Japanese).
- (8) JNC Evaluation Committee for Research and Development (1999) : 1999 FY pre-research evaluation report - Research in the deep underground research facilities - (in Japanese).
- (9) Wakita, K.(1988): Origin of chaotically mixed rock bodies in the Early Jurassic to Early Cretaceous and sedimentary complex of the Mino terrace, central Japan, Bull. Geol. Surv. Japan, 39(11), 675-757.
- (10) Ryoke Research Group (1972): The Mutual Relations of the Granitic Rocks of the Ryoke Metamorphic Belt in Central Japan, Earth Science, Vol.26, 5, 205-216 (in Japanese with English abstract).
- (11) Ishihara, S. and Suzuki, Y. (1969): Basement granites of the Toki Uranium Deposits in Tono region, Report, Geol. Surv. Japan, 232, 113-127 (in Japanese with English abstract).
- (12) Itoigawa, J. (1980): Geology of the Mizunami district, central Japan, Monograph of the Mizunami Fossil Museum, No.1. 1-50 (in Japanese).
- (13) Kaizuka, S., Kiso, T., Machida, T., Ota, Y. and Yoshikawa, T.(1964): Geomorphic development of the drainage basins of the Kiso and the Yahagi, Central Japan, Geographical Review, 37, 35-48 (in Japanese with English abstract).
- (14) The Research Group for Active Faults (1980): Active faults in Japan, Tokyo University Press, 186-195 (in Japanese).
- (15) JNC (2000): Regional Hydrogeological Study Project Results from 1992-1999 Period, JNC Technical Report, JNC TN7400 2000-014 (in Japanese with English abstract).

- (16) White, M. J., C del Olmo (1996): The Application of Geological Computer Modeling Systems to the Characterization and Assessment of Radioactive Waste Repositories, Proc., The International Conference on Deep Geological Disposal of Radioactive Waste, Canadian Nuclear Society, 3-235-244.
- (17) White, M. J., Humm, J. P. et al. (1998): GEOMASS : Geological Modeling Analysis and Simulation Software for the Characterization of Fractured Hard Rock Environments, Proc. The third Aspo International Seminar, Oskarshamn, June 10-12 1998, SKB TR-98-10, 233-242.
- (18) McEwen, T. (1995): The Scientific and Regulatory Basis for the Geological Disposal of Radioactive Waste, Chapter 8, 239-320, John Wiley & Sons.
- (19) Briggs, I. C. (1974): Machine Contouring Using Minimum Curvature, Geophysics, 39, 39-48.
- (20) PNC (1994): Uranium Deposits in Japan, PNC Technical Report, PNC TN7420 94-006 (in Japanese).
- (21) PNC (1995): Uranium Resources in the Tono area and its vicinity, PNC Technical Report, PNC TN7420 95-005 (in Japanese).
- (22) Sugihara, K., Yoshioka, H., Imai, H. and Matsui, H. (1992): Outline of shaft excavation effects Project in Neogene sedimentary rocks, Proceedings of the Symposium on Underground Space 1992, Japan Society of Civil Engineers, 185-194 (in Japanese with English abstract).
- (23) Inoue, D., Mizuochi, Y. and Sakurada, H. (1992): Geological Characteristics of "Linearment" and its Evaluation on Fractured System, Journal of the Japan Society of Engineering Geology, vol.33, 3, 25-34 (in Japanese with English abstract).
- (24) Koide, K. and Yanagizawa, K. (1994): Examination of study area for Regional Hydrogeological Study using characteristics of linearment distribution, Program of 229<sup>th</sup> Meeting, Geological Survey of Japan, 3 (in Japanese).
- (25) Kobayashi, K. and Koide, K. (1995): Division of geological structure based on the characteristics of linearment distribution, Proceeding of 1995 Meeting of Chubu Branch, Japan Society of Engineering Geology, 13-16 (in Japanese).
- (26) Yamanoi, T., Wakamatu, H., Wachi, T. and Odagawa, S. (1997): Geological Survey on Regional Scale in Tono Area, JNC Technical Report, JNC 7440 2000-027 (in Japanese with English abstract).
- (27) Shinohara, N. (1999): High Frequency Tensor CSMT & MT soundings in TONO Area, JNC Technical Report, JNC TJ7420 99-007 (in Japanese with English abstract).
- (28) Yoneda, S. (1994): Seismic Refraction Survey at the Tono Research Field (1), JNC Technical Report, JNC TJ7308 94-007 (in Japanese with English abstract).
- (29) Kawamura, T., Ito, T., Hasegawa, K. and Yabuuchi, S. (1996): Seismic reflection study using the Mini Impactor (CJM-MINI65) for the Tsukiyoshi fault, Tono, Central Japan, Proceeding of 104<sup>th</sup> Annual Meeting of the Geological Society of Japan, 521 (in Japanese).

- (30) Ogata, N., Koide, K., Maekawa, K. and Inaba, H. (1996): Location and depth of boreholes excavated for the geoscientific research, PNC Technical Report, PNC TN7420 96-008 (in Japanese).
- (31) Katayama, N. et al. (1974): “Genesis of uranium deposits of the Tono mine, Japan”, IAEA-SM-183/11.
- (32) Ogata, N., Osawa, H., Nakano, K., Yanagizawa, K. and Nishigaki, M. (1994): Relationships among Lithology, Permeability and Resistivity and their Application to Modelling of Hydrogeology, Journal of the Japan Society of Engineering Geology, Vol.32, 6, 51-62 (in Japanese with English abstract).
- (33) Yanagizawa, K., Imai, H., Ogata, N., Osawa, H. and Watanabe, K. (1992): Shaft Excavation Effect Project on Groundwater Flow –Case Study at the Test Shaft in the Tono Mine, Central Japan-, Journal of the Japan Society of Engineering Geology, 33, No.5, 32-49 (in Japanese with English abstract).
- (34) Abe, M., Ishikawa, K. and Kai, M. (2000): Core observations to grasp geological structure, JNC Technical Report, JNC TJ7440 2000-015 (in Japanese with English abstract).
- (35) Yoshida, H., Osawa, H., Yanagizawa, K. and Yamakawa, M. (1989): Analysis of Fracture System in Granitic Rock -Case Study for the Granitic Rock, Gifu Prefecture, Japan- Journal of the Japan Society of Engineering Geology, 30, No. 3, 11-22 (in Japanese with English abstract).
- (36) Sakuma, H., Tsubota, K., Olsson, O. and Lundmark, L. (1988): Case Study of RAMAC System in TOKI GRANITE, Proceedings of the 78<sup>th</sup> Conference of the Society of Exploration Geophysicists of Japan, 305-309 (in Japanese with English abstract).
- (37) Oyanagi, M., Hirooka, S. and Sugihara, N. (1999): Seismic Survey using Controllable Vibratory Source, JNC Technical Report, JNC TJ7420 99-005 (in Japanese with English abstract).
- (38) Oyanagi, M., Hirooka, S. and Iwasaki, T. (1999): Seismic Reflection Survey at Shomasamabora Site, JNC Technical Report, JNC TJ7420 99-020 (in Japanese with English abstract).
- (39) Nishide, S., Kubota, R., Kawanishi, S., Nishiuchi, T., Tanase, A. and Baba, H. (1999): Drilling Survey (MIU-1) of Mizunami Underground Research Laboratory Project in Shobasama-bora site, JNC Technical Report, JNC TJ7440 98-001 (in Japanese with English abstract).
- (40) Ishikawa, K., Mezaki, Y., Suzuki, H., Kai, M., Watanabe H., Fujimori, S. and Ishikawa J. (1999): Investigation program in borehole MIU-2 for the Mizunami Underground Research Laboratory project in the Shobasama site, JNC Technical Report, JNC TJ7420 99-016 (in Japanese with English abstract).
- (41) Toyokura, I., Hashii, T., Nagoe, S., Ito, T., Sugimori, T., Sugita, N. and Masaeda, H. (2000): Drilling Survey (MIU-3) of Mizunami Underground Research Laboratory Project in Shomasama-bora site, JNC Technical Report, JNC TJ7440 2000-022 (in Japanese with English abstract).

- (42) I.C.Briggs (1974): Machine Contouring Using minimum Curvature, Geophysics, Vol.39, p.39-48.
- (43) Kikuchi, K. (1990): An introduction to geotechnics, Doboku-kogaku-sha (in Japanese).
- (44) Fujii, N. (1968): “Genesis of the fireclay deposits in Tajimi-Toki district, Gifu Prefecture, Central Japan”, Rept. Geol. Surv. Japan, No.230, 1-56.
- (45) JNC (1999): Working programme for MIU-4 Borehole Investigations, JNC Technical Report, JNC TN7410 99-007.
- (46) Suyama, Y. and Saegusa, H. (2000): Geological Modelling and Groundwater Flow Simulation in the Regional Hydrogeological Study Project, JNC Technical Report, JNC TJ7400 2000-012 (in Japanese with English abstract).
- (47) Imai, H. and Yanagizawa, K. (1990): Overviews of groundwater flow analysis code : TAGSAC, PNC Technical Report, PNC TN7410 90-026 (in Japanese with English abstract).
- (48) Inaba, H., Takeuchi, S., Okazaki, H., Saegusa, H. and Ogata, N. (1998): Simulation of groundwater flow in Tono mine, JNC Technical Report, PNC TN7410 98-001 (in Japanese with English abstract).
- (49) Groundwater Handbook Editorial Committee (1989): Groundwater Handbook, Construction Industry Investigation Committee (in Japanese).
- (50) Todd, D.K. (1989): Groundwater Hydrology Second Edition, John Wiley & Sons.
- (51) Yahata, T. (1975): Soil Physics, University of Tokyo Press (in Japanese).
- (52) Odagawa, S., Saegusa, H., Ogata, N., Wakamatsu, H. and Okazaki, H. (1999): Estimation of groundwater recharge from the subsurface to the rock mass around Tono Mine and a plan for the future study, Proceedings of Workshop on Rock Hydraulics, 13-18 (in Japanese with English abstract).
- (53) Saegusa, H., Inaba, H., Koide, K. and Ogata, N. (1998): Simulation of regional scale groundwater flow in Tono area, PNC Technical Report, PNC TN7410 98-004 (in Japanese with English abstract).
- (54) TGC (2000): Report on the DH-1 borehole investigations, JNC Technical Report, JNC TN7400 2000-006 (in Japanese).
- (55) TGC (2000): Report on the DH-2 borehole investigations, JNC Technical Report, JNC TN7400 2000-007 (in Japanese).
- (56) TGC (2000): Report on the DH-3 borehole investigations, JNC Technical Report, JNC TN7400 2000-008 (in Japanese).
- (57) Yamauchi, D., Miyahara, T., Takeuchi, S. and Odagawa, S. (2000): Water Balance Observation Results Around the Mizunami Underground Research Laboratory, JNC Technical Review, No.9, 103-114, JNC Technical Report, JNC TN1340 98-001 (in Japanese with English abstract).
- (58) Saito, M. and Sakamori, K. (2000): Manipulation of hydraulic heads measured continuously in the JNC’s observation holes, JNC Technical Report, JNC TN7440 2000-017 (in Japanese with

- English abstract).
- (59) Toyama, S., Wakamatsu, H. and Okazaki, H. (2000): The installed of the groundwater place meter at the Shoma-sama site, JNC Technical Report, JNC TJ7420 2000-005 (in Japanese with English abstract).
  - (60) JNC (1999): Second Progress Report on Research and Development for the Geological Disposal of HLW in Japan, H12 : Project to Establish the Scientific and Technical Basis for HLW Disposal in Japan, Supporting Report 1 Geological Environment in Japan, JNC Technical Report, TN1400 99-021 (in Japanese ; also available in English, JNC TN1410 2002-002).
  - (61) Ogata N., Wakamatsu, H., Umeda, K. and Yanagizawa, K. (1995): Estimation of Subsurface Groundwater Flow by the River Runoff and Water Quality - A Case Study at the Tono Area, Central Japan -, Journal of the Japan Society of Engineering Geology, Vol.36, 1, 2-13 (in Japanese with English abstract).
  - (62) Toyama, S., Wakamatsu, H. and Odagawa, S. (2000): Compilation of Soil Moisture and Groundwater Level Data, JNC Technical Report, JNC TJ7440 2000-026 (in Japanese and English abstract).
  - (63) Saito, M., Ishizaki, S. and Sakamori, K. (2000): Manipulation of hydraulic heads measured/surveyed in the regional hydrogeological study area, JNC Technical Report, JNC TJ7440 2000-010 (in Japanese with English abstract).
  - (64) Shimo, M. and Nishijima, N. (2000): Crosshole Hydraulic Test between MIU-2 and MIU-3 Holes, JNC Technical Report, JNC TJ7400 2000-011 (in Japanese with English abstract).
  - (65) Onishi, A., Kubota, R., Kawanishi, S., Tanase, A. and Igeta, T. (1999) Investigative Drilling for the Study of the Regional Ground Water Flow System (2) -DH-9-, JNC Technical Report, JNC TJ7440 98-002 (in Japanese with English abstract).
  - (66) Matsunaga, T., Ikeda, N., Nagai, Y., Saito, M., Kudo, S., Akashi, T., Shigeno, M. and Kawamura, T. (1999): Investigation of Regional Flow Groundwater (DH-11), JNC Technical Report, JNC TJ7440 2000-023, vol.2 (in Japanese with English abstract).
  - (67) Shimo, M. and Nishijima, N. (2000): Regional Groundwater Simulation using Heterogeneous Equivalent Continuum Model, JNC Technical Report, JNC TJ7400 2000-008 (in Japanese with English abstract).
  - (68) Kikuchi, K., Mito, Y. and Honda, M. (1992): Stochastic Modelling of Rock Joint Distribution, Part 2: Joint Characteristic Elements and the Probabilistic Space Model, Journal of the Japan Society of Engineering Geology, 33, No.5, 19-31 (in Japanese with English abstract).
  - (69) Ohno, H. and Kojima, K. (1993): Fractal on the Spatial Distribution of Fractures in Rock Mass, Part 2 : Fractal Characteristics and Variability of Fractal Distribution, Journal of the Japan Society of Engineering Geology, 34, No.2, 12-26 (in Japanese with English abstract).

- (70) Shimo, M. and Yamamoto, H. (1996): Groundwater Flow Simulation for Fractured Rocks using an equivalent Heterogeneous Continuum Model, Taisei Corporation Annual Report, 29, 257-262 (in Japanese).
- (71) Ishizuka, M., Noda, M., Shiogama, Y. and Adachi, T. (1999): Design Study of Underground Facility of the Mizunami Underground Research Laboratory, JNC Technical Report, JNC TJ1400 99-001 (in Japanese with English abstract).
- (72) CRIEPI (Central Research Institute of Electric Power Industry) and FEPC (Federation of Electric Power Companies) (1999): Study on Execution Techniques for High-level Radioactive Waste Disposal (in Japanese).
- (73) Yin, J. and Cornet, F. H. (1995): Integrating hydraulic data and focal plane solution for regional stress determination. Proc. International Workshop on Rock Stress Measurement at Great Depth, 13-18.
- (74) Brudy, M. and Zoback, M. D. (1993): Compressive and tensile failure of boreholes arbitrarily-induced to principal stress axis: application to the KTB borehole, Int. J. Rock. Mech. Min.. Sci., 1035-1038.
- (75) Sugita, N., Arakawa, T., Lin, W., Masaeda, H., Nakajima, M., Sakaue, A., Narumi, A. and Oguchi, N. (1998): Measurement on Physical Property of Core Samples from MIU-1 Drill Hole in Laboratory, JNC Technical Report, JNC TJ7440 99-018 (in Japanese with English abstract).
- (76) Hata, K. and Ouchi, H. (1998): Measurement of the initial stress in rock cored from MIU-1 borehole, JNC Technical Report, JNC TJ7440 98-003 (in Japanese with English abstract).
- (77) Kato, H. (1998): *In situ* stress measurement in AN-1 borehole using hydraulic fracturing, JNC Technical Report, JNC TJ7420 99-013 (in Japanese with English abstract).
- (78) Matsui, H. (1999): The results of the investigation on Rock mechanics in AN-1 and MIU-1 boreholes, JNC Technical Report, JNC TN7420 99-004 (in Japanese with English abstract).
- (79) Kato, H. (1998): In situ stress measurement in MIU-2 borehole using hydraulic fracturing, JNC Technical Report, JNC TJ7440 98-003 (in Japanese with English abstract).
- (80) Kuriyagawa, M., et al. (1988): Application of hydraulic fracturing to three dimensional in-situ stress measurements, Proc. 2<sup>nd</sup> Workshop on hydraulic fracturing stress measurements, 307-340.
- (81) Matsui, H., Maeda, N. and Yoshikawa, K. (2000): The results of the investigation on Rock mechanics in MIU-2 borehole and the geomechanical conceptual model in Toki granitic body of hanging wall of Tuki-yoshi fault, JNC Technical Report, JNC TN7420 2000-001 (in Japanese with English abstract).
- (82) Association for the development of earthquake prediction (1990): Horizontal strain in Japan (in Japanese).
- (83) Kato, H. (2000): *In-situ* stress measurement in MIU-3 borehole using hydraulic fracturing, JNC Technical Report, JNC TJ7430 2000-005 (in Japanese with English abstract).

- (84) Matsui, H., Maeda, N. and Yoshikawa, K. (2001): The results of the geomechanical investigations in the MIU-3 borehole and the conceptual geomechanical model of the Toki granite in Shobasama area, JNC Technical Report, JNC TN7420 2001-001 (in Japanese with English abstract).
- (85) Kato, H. (1999): In situ stress measurement in 99SE-02 borehole using hydraulic fracturing, JNC Technical Report, JNC TJ7430 2000-001 (in Japanese with English abstract).
- (86) Maeda, N., Sato, T., Matsui, H. and Sugihara, K. (1999): Estimation of applicability of stress measurement methods and three dimensional stress state in soft sedimentary rock, Proceeding of the '99 JAPAN-KOREA JOINT SYMPOSIUM ON ROCK ENGINEERING, 277-284.
- (87) JNC (1998): Annual Report of Geoscientific Research in the MIU Project (1997), JNC TN7400 99-003 (in Japanese).
- (88) JNC (2000): Annual Report of Geoscientific Research in the MIU Project (1999), JNC TN7410 2001-003 (in Japanese).
- (89) JNC (1999): Annual Report of Geoscientific Research in the MIU Project (1998), JNC TN7400 2000-001 (in Japanese).
- (90) PNC (1998): Annual Report of Geoscientific Research in the MIU Project (1996), PNC TN7410 97-042 (in Japanese).
- (91) Shinohara, N. (1999): Field Application of the Borehole Sparker Source, JNC Technical Report, JNC TJ7420 99-006 (in Japanese with English abstract).
- (92) Nakano, K., Takeuchi, R., Hirata, Y., Goto, K. and Nishigaki, M. (1996): Application of New Hydraulic Test Equipment to Deep Underground in Crystalline Rocks, The Proceeding of the 31<sup>st</sup> Conference of the Japanese Geotechnical Society, 2145-2146 (in Japanese).
- (93) Koide, K., Nakano, K. and Ogata, N.. (1998): Current Status of Development of Groundwater Investigation and Simulation Methodologies in the PNC's Geoscientific Study Programme, Journal of Nuclear Fuel Cycle and Environment, Vol.4, 2, 59-71 (in Japanese with English abstract).
- (94) Hama, K., Seo, T., Teshima, K., Nakano, K., Nakajima, Y., Shimazaki, S. and Nishizaki, M. (1995): Development of 1,000m-class water sampling equipment, Proceeding of 1995 Fall Meeting of the Japanese Association of Groundwater Hydrology, 20-25 (in Japanese).
- (95) Sato, T. and Kato, H. (1998): Current status of development of 1,000m class initial stress measuring equipment using a stress release method, Proceeding of 1998 Meeting of the Mining and Materials Processing Institute of Japan, session (A), 41-44 (in Japanese).
- (96) Kumazawa, M., Nakajima T. and Hasada, Y. (1998): Introduction to general theory and practice of EM ACROSS, Proceeding of 1998 Autumn Meeting of the Seismological Society of Japan, B07 (in Japanese with English abstract).

- (97) Saito, H., Kawase, K., Sugihara, K. and Yamamoto, J. (2000): Application of Virtual Reality Technology to Activities for Offering Information for the General Public in the Mizunami Underground Research Laboratory Project, JNC Technical Review, 7, 93-98, JNC Technical Report, JNC TJ1340 2000-002 (in Japanese with English abstract).
- (98) Stanfors, R. et al. (1997): Aspo HRL - Geoscientific evaluation. 1997/3. Results from pre-investigations and detailed site characterization. Comparison of predictions and observations. Geology and Mechanical stability, SKB Technical Report 97-04.
- (99) Rhen, I. et al. (1997): Aspo HRL - Geoscientific evaluation. 1997/4. Results from pre-investigations and detailed site characterization. Comparison of predictions and observations. Geohydrology, groundwater chemistry and transport of solutes, SKB Technical Report 97-05.
- (100) Rhen I. et al. (1997): Aspo HRL - Geoscientific evaluation. 1997/2. Results from pre-investigations and detailed site characterization, SKB Technical Report 97-03.
- (101) Tsuboya, T. (1997): MIU – Mizunami Underground Research Project, Radioactive Waste Research, Vol.3, 2, 109-114 (in Japanese with English abstract).
- (102) Mikake, S., Sugihara, K. and Nagasaki, Y. (2000): Development of Research Program and Design Concept of the Mizunami Underground Research Laboratory, JNC Technical Review, 6, 105-113, JNC Technical Report, JNC TN1340 2000-001 (in Japanese with English abstract).