Attached Table: Plutonium Utilization Plan for Research and Development at JAEA throughout JFY 2021

Feb. 26, 2021

JAEA

| Owner | Stockpile amount (ton(s) of Put)*1 (forecast as of the end of FY2020) | Purpose (Research and development by utilizing fast reactor)*2 | | | | | | | |
|---|---|--|-----------------------------------|--------|--------|-------------|--------|-----------------|------------------|
| | | Facility | Amount to be utilized (ton Put)*3 | | | | | | Estimated annual |
| | | | Current plan | | | Future plan | | (Reference) | usage amount |
| | | | FY2021 | FY2022 | FY2023 | FY2024 | FY2025 | FY2026- 2030 | (ton Put/year)*4 |
| JAEA | 3.6*5 | Experimental Fast Reactor "JOYO" | 1 | 1 | - | 1 | - | - | 0.1 |
| Amount of plutonium generated through reprocessing (ton Put) *6 | | | 0 | 0 | 0 | 0 | 0 | 0 | |
| Stockpile amount (ton Put)*7 | | | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | | |

Details will be announced later as progress is made, such as when the JOYO starts operation.

- *1 Total amount of plutonium (Put).
- *2 In addition to plutonium used for JOYO, the plutonium will be used for basic research on the treatment technology of spent fuel, plutonium stabilization studies, and other research and development activities within the scope of the purpose and amount permitted by R&D facilities.
- *3 Since the completion date of conformity to the new regulation standards for JOYO has not yet been determined, the amount of plutonium to be used for each fiscal year has not yet been decided as well, and is described as "-".
- *4 "Estimated annual usage amount" represents an annual average amount of plutonium contained in MOX fuel to be loaded into reactor during standard reactor operations.
- *5 Of the plutonium managed by JAEA, approximately 1.0t of plutonium recovered at the Tokai Reprocessing Plant under a service contract with electric power companies is not included in the amount mentioned above.
- *6 Since the Tokai Reprocessing Plant has entered into decommissioning stage, plutonium will no longer be recovered by reprocessing in the future.
- *7 The total figure above is not always consistent due to rounding.